

NDS Energy (Dometic Mobile Power Italy) srl Safety Data Sheet Regulation (EU) 2020/878 (REACH ANNEX II)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Product form	: Article
- Trade name	: Tempra
- Model No.	: TLB100-100F, TLB120-120F, TLB150-150F

1.2 Relevant identified uses of the substance or mixture and uses advised against

- 1.2.1 Relevant identified uses
- Use of the substance/mixture

: Power supply. Battery Type: LiFePO4 Battery

- 1.2.2 Uses advised against
- Restrictions on use:

:Don'tuse with temperature out of range -25°C /+50°C

1.3 Details of the supplier of the safety data sheet

Supplier:

NDS Energy (Dometic Mobile Power Italy) srl Via Giovanni Pascoli 96/98, 65010 Cappelle Sul Tavo (PE), Italy. TEL +390854470396 FAX +390859112263 mattia@ndsenergy.it

1.4 Emergency telephone number

- Emergency number

: +390854470396

12/06/2023

1 di 25



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. : Not classified 1272/2008 [CLP] Adverse physicochemical, human health and environmental effects

: To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2 Label Elements

- Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP): NoneSignal word (CLP): NoneHazard statements (CLP): Not applicablePrecautionary statements (CLP): Not applicable.EUH-statements: None.

2.3 Other hazards

- Other hazards which do not result in classification: No information available

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances 0.1% assessed in accordance with REACH Annex XII

This mixture does not contain substance(s) included in the list estabilished in accordance with Article 59(1) of REACH for endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2010 or Commission Regulation (EU) 2018/605.



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

SECTION 3: Composition/information on ingredients

3.1 Substances

- Not Applicable

3.2 Mixture

3.2.1 and 3.2.2 Ingredients

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phosphoric acid, iron(2+) lithium salt (1:1:1)	CAS-No.: 15365-14-7 EC-No.: 476-700- 9;604- 917-2	28-32	Not classified
Organic solvents	-	15–19	Not classified
Aluminum	CAS-No.: 7429-90-5 EC-No.: 231-072-3 EC Index-No.: 013- 002-00-1	15–19	Flam. Sol. 1, H228 Water-react. 2, H261
Graphite	CAS-No.: 7782-42-5 EC-No.: 231-955-3	13-17	Not classified
Copper	CAS-No.: 7440-50-8 EC-No.: 213-159-6 EC Index-No.: 029- 024-00- X	16–20	Acquatic Chronic 2, H411
Phosphate(1-), hexafluoro-, lithium	CAS-No.: 21324-40-3 EC-No.: 244-334-7	1,6-2,0	Acute Tox. 3 (Oral), H301 Skin Corr. 1, H314 STOT RE 1, H372

Full text of H- and EUH-statements: see section 16



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: + 390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aid measures general First-aid measures after inhalation First-aid measures after skin contact

First-aid measures after eye contact First-aid measures after ingestion

- : If irritation persists, consult a doctor.
- : Not an expected route of exposure.

: Not expected to present a significant skin hazard under anticipated conditions of normal use. No special technical protective measures required.

- : Not an expected route of exposure.
- : Not an expected route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/Effects

: No information available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Estinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Use extinguishing measures that are appropriate to
	local circumstances and the surrounding environment.
Unsuitable extinguishing media	: No information available

5.2 Special hazards arising from the substance or mixture

Fire hazard: The product is not flammableHazardous decompositions products in case of: Toxic fumes may be releasedfire

5.3 Advise for firefighters



Firefighting Instructuions: Pool down the containers exposedHazardous decompositions products in case of: Toxic fumes may be releasedfire

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 6.1.1. For non-emergency personnel

Emergency Procedeures

: Ventilate spillage area

- 6.1.2 For emergency responders Protective equipment

: Do not attempt to take action without suitable protective equipment. For futher information refer to Section 8: "Exposure control/personal protection".

6.2 Enviromental precautions

Avoid release to the environment

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Use a clean shovel to collect it in a properly sealed waste container with a label and completely sealed. Such containers shall be stored in suitable locations for the purpose of handing or disposing in accordance with national law.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4 Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

7.1	Precaut	tions f	or safe	handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Do not open, destroy, or incenerate batteries because the battery may explode, break or vent during these processes. Do not short-circuit the battery, overcharge, forced discharge or thrown into the fire. Do not squeeze the battery or immerse the battery in the solution.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures

:Keep away from open flames, hot surface and source of ignition.

Storage conditions

- : Store in well-ventilated place. Keep cool.
- : Strong acids. Strong bases. Strong oxidizing agents

7.3 Specific end use(s)

SDS section 1.2.1 – Additional text

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 National occupational exposure and biological limit values

Aluminum (7429-90-5)		
Austria - Occupational Expo	sure Limits	
MAK (OEL TWA) 10 mg/m ³ (inhalable fraction)		
MAK (OEL STEL)	EL STEL) 20 mg/m ³ (inhalable fraction)	
Belgium - Occupational Exp	osure Limits	
DEL TWA 1 mg/m ³		
Bulgaria - Occupational Exp	osure Limits	
OEL TWA	10 mg/m³ (inhalable fraction) 1.5 mg/m³ (respirable fraction)	



Croatia - Occupational Exp	posure Limits
GVI (OEL TWA) [1]	10 mg/m³ (total dust, inhalable particles) 4 mg/m³ (respirable dust)
Croatia - Biological limit va	lues
BLV	200 g/l Parameter: Aluminum - Medium: urine - Sampling time: at the end of the work shift
Czech Republic - Occupat	ional Exposure Limits
PEL (OEL TWA)	10 mg/m³ (dust)
Denmark - Occupational E	xposure Limits
OEL TWA [1]	5 mg/m ³ (dust and powder; total) 2 mg/m ³ (dust and powder; respirable)
Estonia - Occupational Exp	oosure Limits
OEL TWA	10 mg/m³ (total dust) 4 mg/m³ (respirable dust)
France - Occupational Exp	oosure Limits
VME (OELTWA)	10 mg/m³ (metal) 5 mg/m³ (dust)
Germany - Occupational E	xposure Limits (TRGS 900)
AGW (OEL TWA) [1]	1.25 mg/m³ (respirable fraction (dust) 10 mg/m³ (inhalable fraction (dust)
Germany - Biological limit v	alues (TRGS 903)
Biological limit value	50 µg/g creatinine Parameter: Aluminum - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts
Greece - Occupational Ex	posure Limits
OEL TWA	10 mg/m³ (inhalable fraction) 5 mg/m³ (respirable fraction)
Hungary - Occupational E	xposure Limits
AK (OEL TWA)	1 mg/m³ (respirable dust)



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

OELTWA[1]	1 mg/m ³ (respirable fraction)	
OEL STEL	3 mg/m³ (calculated-respirable dust)	
Latvia - Occupational Exposure Lim	its	
OEL TWA	2 mg/m ³	
Lithuania - Occupational Exposure	Limits	
IPRV (OEL TWA)	5 mg/m³ (inhalable fraction) 2 mg/m³ (respirable fraction) 1 mg/m³	
Poland - Occupational Exposure Lir	nits	
NDS (OEL TWA)	2.5 mg/m³ (non-stabilized-inhalable fraction) 1.2 mg/m³ (non-stabilized-respirable fraction)	
Portugal - Occupational Exposure l	limits	
OELTWA	10 mg/m³ (metal dust)	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure	Limits	
OEL TWA	3 mg/m³ (dust) 1 mg/m³ (fume)	
OEL STEL	10 mg/m³ (dust) 3 mg/m³ (fume)	
Romania - Biological limit values		
BLV	200 g/l Parameter: Aluminum - Medium: urine - Sampling time: end of shift	
Slovakia - Occupational Exposure L	imits	
NPHV (OEL TWA) [1]	4 mg/m³ (inhalable dust) 1.5 mg/m³ (respirable dust)	
Slovakia - Biological limit values		
BLV	60 µg/g creatinine Parameter: Aluminum - Medium: urine - Sampling time: not critical	
Spain - Occupational Exposure Lim	its	
VLA-ED (OEL TWA) [1]	1 mg/m ³ (see UNE EN 481:1995 on workplace atmospheres- respirable fraction)	



NGV (OEL TWA)	5 mg/m³ (total dust)	
	2 mg/m ³ (respirable fraction)	
Jnited Kingdom - Occupation	nal Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m³ (inhalable dust) 4	
	mg/m³ (respirable dust)	
WEL STEL (OEL STEL)	30 mg/m³ (calculated-inhalable dust)	
	12 mg/m ³ (calculated-respirable dust)	
Norway - Occupational Expos	sure Limits	
Grenseverdi (OEL TWA)[1]	5 mg/m³ (pyrotechnical-powder)	
Korttidsverdi (OEL STEL)	10 mg/m³ (pyrotechnical-powder)	
Switzerland - Occupational Ex	kposure Limits	
MAK (OEL TWA) [1]	3 mg/m³ (respirable dust)	
Switzerland - BAT		
BAT	50 µg/g creatinine Parameter: Aluminum - Medium: urine -	
	Sampling time: after several shifts (for long-term exposures)	
USA - ACGIH - Occupational Ex	kposure Limits	
ACGIH OELTWA	1 mg/m ³ (respirable particulate matter)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	

Copper (7440-50-8)		
EU - Indicative Occupational I	Exposure Limit (IOEL)	
Local name	Copper	
IOEL TWA	0.01 mg/m³ (respirable fraction)	
Remark	(Year of adoption 2014)	
Regulatory reference	SCOEL Recommendations	
Austria - Occupational Expo	sure Limits	



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

MAK (OEL TWA)	1 mg/m ³ (inhalable fraction) 0.1 mg/m ³ (respirable fraction, smoke)	
MAK (OEL STEL)	4 mg/m³ (inhalable fraction) 0.4 mg/m³ (respirable fraction, smoke)	
Belgium - Occupational E	kposure Limits	
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
Bulgaria - Occupational Ex	kposure Limits	
OEL TWA	0.1 mg/m ³ (metal vapor)	
Croatia - Occupational Ex	posure Limits	
GVI (OELTWA)[1]	0.2 mg/m³ (fume) 1 mg/m³ (dust)	
KGVI (OEL STEL)	2 mg/m³ (dust)	
Czech Republic - Occupat	ional Exposure Limits	
PEL (OEL TWA)	1 mg/m³ (dust) 0.1 mg/m³ (fume)	
Denmark - Occupational E	xposure Limits	
OEL TWA [1]	1 mg/m³ (dust and powder) 0.1 mg/m³ (fume)	
Estonia - Occupational Ex	posure Limits	
OEL TWA	1 mg/m³ (total dust) 0.2 mg/m³ (respirable dust)	
Finland - Occupational Ex	posure Limits	
HTP (OEL TWA) [1]	0.02 mg/m ³ (respirable dust)	
France - Occupational Exp	posure Limits	
VME (OELTWA)	0.2 mg/m³ (fume) 1mg/m³(dust)	
VLE (OEL C/STEL)	2 mg/m³ (dust)	
Greece - Occupational Ex	posure Limits	
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust)	
OEL STEL	2 mg/m ³ (dust)	



Hungary - Occupational E	xposure Limits	
AK (OEL TWA)	0.1 mg/m³ 0.01 mg/m³ (fume)	
CK (OEL STEL)	0.2 mg/m ³	
Ireland - Occupational Exp	posure Limits	
OEL TWA [1]	0.2 mg/m³ (fume) 1 mg/m³ (dusts and mists)	
OEL STEL	2 mg/m³ (dusts and mists) 0.6 mg/m³ (calculated-fume)	
Latvia - Occupational Exp	osure Limits	
OEL TWA	0.5 mg/m ³	
Lithuania - Occupational E	Exposure Limits	
IPRV (OEL TWA)	1 mg/m ³ (inhalable fraction) 0.2 mg/m ³ (respirable fraction)	
Netherlands - Occupation		
TGG-8u (OEL TWA)	0.1 mg/m³ (inhalable dust)	
Poland - Occupational Exp	posure Limits	
NDS (OEL TWA)	0.2 mg/m ³	
Portugal - Occupational E	xposure Limits	
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
Romania - Occupational E	xposure Limits	
OEL TWA	0.5 mg/m³ (dust)	
OEL STEL	0.2 mg/m³ (fume) 1.5 mg/m³ (dust)	
Slovakia - Occupational E	xposure Limits	
NPHV (OEL TWA) [1]	1 mg/m³ (inhalable fraction) 0.2 mg/m³ (respirable fraction)	
Spain - Occupational Exp	osure Limits	
VLA-ED (OEL TWA) [1]	0.1 mg/m ³ (see UNE EN 481:1995 on workplace atmospheres- respirable fraction)	



Sweden - Occupational Exposure Li	mits
NGV (OEL TWA)	0.01 mg/m ³ (respirable fraction)
United Kingdom - Occupational Ex	posure Limits
WEL TWA (OEL TWA) [1]	1 mg/m³ (dust and mists) 0.2 mg/m³ (fume)
WEL STEL (OEL STEL)	0.6 mg/m³ (calculated-fume) 2 mg/m³ (dust and mist)
Norway - Occupational Exposure Li	mits
Grenseverdi (OEL TWA) [1]	0.1 mg/m³ (fume) 1 mg/m³ (dust)
Korttidsverdi (OEL STEL)	3 mg/m³ (value calculated-dust) 0.3 mg/m³ (value calculated-fume)
Switzerland - Occupational Exposu	re Limits
MAK (OEL TWA) [1]	0.1 mg/m³ (inhalable dust)
KZGW (OEL STEL)	0.2 mg/m³ (inhalable dust)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OELTWA	0.2 mg/m³ (fume)

Graphite (7782-42-5)		
Austria - Occupational Exposure Lir	nits	
MAK (OEL TWA)	5 mg/m^3 (alveolar dust with $< 1\%$ Quartz, respirable fraction)	
NAK (OEL STEL) 10 mg/m^3 (alveolar dust with <1% Quartz, respirable fraction)		
Belgium - Occupational Exposure Limits		
OEL TWA	2 mg/m ³ (except fibers-alveolar fraction)	
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³ (inhalable fraction)	
Croatia - Occupational Exposure Limits		
GVI (OELTWA)[1]	4 mg/m³ (respirable dust) 10 mg/m³ (total dust, inhalable particles)	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA) 2 mg/m ³ (dust)		



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: + 390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Denmark - Occupational Ex	posure Limits
ELTWA[1] 2.5 mg/m ³ (natural-respirable)	
Estonia - Occupational Expo	osure Limits
OELTWA	5 mg/m³ (total dust (Dusts)
Finland - Occupational Exp	osure Limits
HTP (OEL TWA) [1]	2 mg/m ³
France - Occupational Expo	osure Limits
VME (OELTWA)	2 mg/m³ (alveolar fraction)
Germany - Occupational Ex	posure Limits (TRGS 900)
AGW (OEL TWA) [1]	1.25 mg/m³ (respirable fraction (dust) 10 mg/m³ (inhalable fraction (dust)
Greece - Occupational Exp	osure Limits
OELTWA	10 mg/m³ (inhalable fraction) 5 mg/m³ (respirable fraction)
Hungary - Occupational Ex	posure Limits
AK (OEL TWA)	5 mg/m³ (respirable)
Ireland - Occupational Expo	osure Limits
OEL TWA [1]	2 mg/m ³ (all forms except fibres; respirable fraction)
OEL STEL	6 mg/m ³ (calculated-all forms except fibres; respirable fraction
Latvia - Occupational Expos	sure Limits
OEL TWA	2 mg/m³ (Carbon dust)
Lithuania - Occupational Ex	posure Limits
IPRV (OEL TWA)	5 mg/m³ (dust)
Poland - Occupational Expo	osure Limits
NDS (OEL TWA)	4 mg/m ³ (natural-inhalable fraction) 1 mg/m ³ (natural-respirable fraction)
Portugal - Occupational Exp	posure Limits
OEL TWA	2 mg/m ³ (all forms except Graphite fibers-respirable fraction)
Romania - Occupational Ex	posure Limits
OEL TWA	2 mg/m^3 (Quartz <=5%-dust, respirable fraction)
Spain - Occupational Expos	sure Limits
VLA-ED (OEL TWA) [1]	2 mg/m ³ (see UNE EN 481:1995 on workplace atmospheres dust; respirable fraction)
United Kingdom - Occupat	



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

WELTWA (OELTWA) [1]	10 mg/m³ (inhalable dust) 4 mg/m³ (respirable dust)
WEL STEL (OEL STEL)	30 mg/m³ (calculated-inhalable dust) 12 mg/m³ (calculated-respirable dust)
Norway - Occupational Exposure Li	mits
Grenseverdi (OEL TWA)[1]	5 mg/m ³ (natural-total dust) 2 mg/m ³ (natural-respirable dust) 10 mg/m ³ (synthetic-total dust) 4 mg/m ³ (synthetic-respirable dust)
Korttidsverdi (OEL STEL)	10 mg/m ³ (natural-total dust) 4 mg/m ³ (natural-respirable dust) 20 mg/m ³ (synthetic-total dust) 8 mg/m ³ (synthetic-respirable dust)
Switzerland - Occupational Exposu	re Limits
MAK (OEL TWA) [1]	3 mg/m³ (natural-respirable dust)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OELTWA	2 mg/m^3 (all forms except graphite fibers-respirable particulate matter)

8.1.2 Recommended monitoring procedures

No additional information available

8.1.3 Air contaminants formed

No additional information available

8.1.4 DNEL e PNEC

No additional information available

8.1.5 Control banding

No additional information available

8.2 Exposure Controls

8.2.1 Appropriate engineering controls



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Ensure good ventilation of the work station

8.2.2 Personal protection equipment

8.2.2.1 Eye and face protection

Eye protection

8.2.2.2 Skin protection

Skin and body protection Hand protection

8.2.2.3 Respiratory protection

Respiratory protection

8.2.2.4 Thermal hazards

No additional information available

8.2.3 Environmental exposure controls

Environmental exposure controls

:Avoid release to the environment

: Wear suitable protective clothing

: In case of insufficient ventilation, wear suitable

:Safety glasses

: Protective gloves

respiratory equipment

SECTION 9: Physical and chimical properties

9.1 Information on basic physical and chimical properties

Physical state	: Solid
Appearance	: Black solid
Colour	: Black
Odour	: Odourless
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive properties	: Not explosive
Oxidising properties	: Not oxidizing
Explosive limits	: Not available
Lower explosion limit	: Not applicable



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
рН	: Not available
pH solution	: Not available
Viscosity, kinematic	:Not applicable
Solubility	: Not available
Partition coefficient	: Not available
octanol/water (Log Kow)	
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

9.2 Other information

9.2.1 Information with regard to physical hazard classNo additional information available9.2.2 Other safety characteristicsNo additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal condition of use, storage and transport

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazard reactions

No dangerous reactions know under normal conditions of use

10.4 Condition to avoid



Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. No deformation, destruction, crushed, disassemble, overcharge, short circuit. Prolonged exposure to damp conditions.

10.5 Incompatibles materials

Strong acids. Stroong bases. Oxiding agent.

10.6 Hazardous decompositions products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1 Informations on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity (oral)
Acute toxicity (dermal)
Acute toxicity (inhalation)

: Not classified : Not classified : Not classified

Aluminum (7429-90-5)		
LC50 Inhalation - Rat	> 0.888 mg/l/4h	
Copper (7440-50-8)		
LC50 Inhalation - Rat	> 5.11 mg/l/4h	
Phosphoric acid, iron(2+) lithium sa	lt (1:1:1) (15365-14-7)	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	> 3.2 mg/l/4h	
Graphite (7782-42-5)		
LC50 Inhalation - Rat	> 2000 mg/m³ (Exposure time: 4 h)	
Phosphate(1-), hexafluoro-, lithiun	(21324-40-3)	
LD50 oral rat	50 – 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)	

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenity Reproductive toxicity : Not classified : Not classified



DOMETIC MOBILE POWER ITALY S.R.L. via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687

P.IVA: 0206508068/ Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Phosphate(1-), hexafluoro-, lit	hium (21324-40-3)
NOAEL (animal/male, F0/P)	500 mg/kg bodyweight Animal: rat, Animal sex: male
GTOT-single exposure GTOT-repeated exposure	: Not classified : Not classified
Graphite (7782-42-5)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Phosphate(1-), hexafluoro-, lit	hium (21324-40-3)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

: Not classified

11.2 Informations on hazard

11.2.1 Endocrine disrupting properties

Adverse health effects caused by endocrine	
disrupting properties	

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

11.2.2 Other information

Other information

: No information available

SECTION 12: Ecological information

12.1 Toxicity

Ecology-general

: The product is not considered harmful to acquatic



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term : Not classified

organisms nor to cause long-term adverse effects in

Hazardous to the aquatic environment, long-term (chronic) : Not classified

the environment

Copper (7440-50-8)	
LC50 - Fish [1]	0.0068 – 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
LC50 - Fish [2]	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 72h - Algae [1]	0.0426 – 0.0535 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h - Algae [1]	0.031 – 0.054 mg/l (Species: Pseudokirchneriella subcapitata [static])
Graphite (7782-42-5)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	19 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	7.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	47 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Phosphate(1-), hexafluoro-,	lithium (21324-40-3)
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	4 mg/I Test organisms (species): Duration: '21 d'



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

12.2 Persistence and degradability

Persistence and degradability	: No information available
12.3 Bioaccomulative potential	
Bioaccumulative potential	: No information available
12.4 Mobility in soil	
Ecology-soil	: No information available

12.5 Results of PBT and vPvB assessment

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the VPvB criteria of REACH regulation, annex XIII

12.6 Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

12.7 Other adverse effects

Other adverse effects

: No information available

SECTION 13: Disposal consideration

13.1 Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
	Dispose of contents/container to hazardous or
	special waste collection point, in accordance w
	local, regional, national and/or international
	regulation.
Contaminated packaging	: Dispose of contents/container in accordance
	with licensed collector's sorting instructions.
	Dispose of contents/container to hazardous or



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: + 390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transporting information

In accordance with ADR/IMDG/IATA/ADN/RID

ADR	IMDG	IATA	ADN	RID
4.1. UN number	or ID number			
UN 3480	UN 3480	UN 3480	UN 3480	UN 3480
14.2. UN proper	shipping name			
LITHIUM ION BATTERIE S	LITHIUM ION BATTERIES	Lithium ion batteries	LITHIUM ION BATTERIES	LITHIUM ION BATTERIES
Transport docume	nt description			
UN 3480 LITHIUM ION BATTERIES, 9A, (E)	UN 3480 LITHIUM ION BATTERIES, 9	UN 3480 Lithium ion batteries, 9A	UN 3480 LITHIUM ION BATTERIES, 9A	UN 3480 LITHIUM ION BATTERIES, 9A
14.3. Transport h	azard class(es)			
9A	9A	9A	9A	9A
14.4. Packing gro	pup			
Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.
14.5. Environmer	ntal hazards			
Dangerous for the environment:	Dangerous for the environment: No Marine pollutant:	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6 Special precautions for user

Overland transport

Classification code (ADR)

Special provisions (ADR)

:M4

: 188,230,310,348,376,377,387,636

12/06/2023



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Limited quantities (ADR)	:0
Excepted quantities (ADR)	: EO
Packing instructions (ADR)	: P903, P908, P909, P910, LP903, LP904
Transport category (ADR)	:2
	:E
Tunnel restriction code (ADR)	:4W
EAC code	

Transport by sea

Special provisions (IMDG)	:188,230,310,348,376,377,384
Packing instructions (IMDG)	: P903, P908, P909, P910, LP903, LP904
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-I
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW19
Properties and observations (IMDG)	: Electrical batteries containing lithium ion encas

: Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.

Air transport

PCA Excepted quantities (IATA)	: EO
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO Packing instructions (IATA)	: See 965
CAO max net quantity (IATA)	: See 965
Special provisions (IATA)	: A88, A99, A154, A164, A183, A201, A206, A213,
	A331, A334,A802
ERG code (IATA)	: 12FZ

Inland waterway transport

Classification Code (ADN)	
Special provisions (ADN)	
Limited quantities (ADN)	
Excepted quantities (ADN)	
Equipment required (ADN)	
Number of blue cones/lights (ADN)	

: M4 : 188,230,310,348,376,377,387,636 : 0 : E0 : PP

:0



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: +390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Rail Transport

: M4
: 188,230,310,348,376,377,387,636
: 0
: EO
: P903,908,909,P910,P911,LP903,LP904,LP905,LP906
:2
: CE2
:90

14.7 Maritime transport in bulk according to IMO instruction

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals. Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer. Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors. Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. Chimical safety assessment

No chemical safety assessment has been carried out



SECTION 16: Regulatory information

Indication of changes:

No information available

	and acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

12/06/2023



via Giovanni Pascoli, 96/98 65010 Cappelle sul Tavo (PE) P.IVA: 02065080687 Tel: + 390854470396 Email: info@ndsenergy.it Website: www.ndsenergy.it

Full text of H- and	EUH-statements:
	None
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Sol. 1	Flammable solids, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
Water-react. 2	Substances and Mixtures which, in contact with water, emit flammable gases, Category 2
H228	Flammable solid.
H261	In contact with water releases flammable gases.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be constructed as guaranteeing any specific property of the product.

This information is based on TUV Test Report No. 64.168.21.60379.01A

Date

12/06/2023

Signature for approval DOMETIO MOBILE POWER ITALY SEL